Hide Items Restore Clear Cancel

DATE: Saturday, October 16, 2004

H	lide?	<u>Set</u> Name	Query	<u>Hit</u> <u>Count</u>
	DB=USPT; PLUR=YES; OP=ADJ			
		L56	709/238.ccls.	1072
		L55	(notif\$6 or advertis\$6) same(router or server or node) with rout\$3 near3 table (updated or modified or chang\$5)	5
		L53	L52 and 133	3
		L52	709/239.ccls.	394
		L51	709/241.ccls.	148
		L50	L49 and 147	6
		L49	709/217.ccls.	1848
		L48	L47 same (server or node or web server)	19
		L47	new adj3 (page or web page or content) near5 available	170
		L46	(notif\$6 or advertis\$6) with (node or host or computer) with new adj3 (page or web page or content)	19
		L45	(notif\$6 or advertis\$6) with (node or host or computer) with new adj3 (page or web page or content)with (transmit\$6 or send\$6 or propagat\$6 or transfer\$6)	1
		L44	(notif\$6 or advertis\$6) same (node or host or computer) same new adj3 (page or web page or content)	77
		L42	request near4 register\$6 same (trail or rout\$3 table)	33
		L41	(notif\$6 or advertis\$6) same new adj3 (page or web page or content) with (recived or available or located)	14
		L40	(notif\$6 or advertis\$6) same new adj3 (page or web page or content) with (recived or available or located)	14
		L39	(transmit\$6 or send\$4 or launch\$4 or advertis\$6)same new adj3 (page or web page or content) with available	28
		L38	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request or message) same new adj3 (page or web page or content) with node	9
		L37	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request)same new adj3 (page or web page or content) with available	5
		L36	advertis\$6 same new near5 (content or page or web page)with available	8
	П	L35	(transmit\$6 or send\$4 or launch\$4) with (register\$3 or request)with (new or chang\$3)near5 (content or page or web page)with available	. 4
		L34	(transmit\$6 or send\$4 or launch\$4) with (register\$3 or request)with content with available	82
		L33	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request)same content with available	386

L31	advertis\$6 same new content with available	1
L29	(transmit\$6 or send\$4)with content with (request or register\$6)same advertis\$6 same available	4
L28	(transmit\$6 or send\$4) same register\$6 with content same advertis\$6 same available	1
L23	(transmit\$6 or send\$4) with register\$6 near3 message with content	97
L21	advertis\$6 with content with available	137
L19	advertis\$6 with content same available same (propogat\$4 or transmit\$6)	40
L18	content descriptor same (describ\$5 or identif\$6 or defin\$3) same multiple	1
DB=F	PGPB; PLUR=YES; OP=ADJ	
L16	content descriptor same (describ\$5 or identif\$6 or defin\$3) same multiple near5 cop\$4	0
L15	content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribute with content	11
DB=U	JSPT; PLUR=YES; OP=ADJ	
L14	content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribute with content	2
L12	rout\$4 same content descriptor	5
L11	L9 and 17	3
L10	L9 same 17	1
L9_	identif\$6 with attribute with content	337
L8	L7 same payload	1
L7	content same content descriptor	149
DB=F	PGPB; PLUR=YES; OP=ADJ	
L2	20020087659	1

Freeform Search

Generate:	○ Hit List Hit Count Side by Side Image
Display:	10 Documents in <u>Display Format</u> : TI Starting with Number 1
Term:	
Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins

Search History

DATE: Saturday, October 16, 2004 Printable Copy Create Case

Set Name side by	Query	Hit Count	Set Name result set
side DR=	USPT; PLUR=YES; OP=ADJ	•	SCI
L53	L52 and 133	3	L53
L52	709/239.ccls.	394	L52
L51	709/241.ccls.	148	<u>L51</u>
L50	L49 and 147	6	<u>L50</u>
L49	709/217.ccls.	1848	<u>L49</u>
<u>L48</u>	L47 same (server or node or web server)	19	<u>L48</u>
<u>L47</u>	new adj3 (page or web page or content) near5 available	170	<u>L47</u>
<u>L46</u>	(notif\$6 or advertis\$6) with (node or host or computer) with new adj3 (page or web page or content)	19	<u>L46</u>
<u>L45</u>	(notif\$6 or advertis\$6) with (node or host or computer) with new adj3 (page or web page or content)with (transmit\$6 or send\$6 or propagat\$6 or transfer\$6)	1	<u>L45</u>
<u>L44</u>	(notif\$6 or advertis\$6) same (node or host or computer) same new adj3 (page or web page or content)	77	<u>L44</u>
<u>L43</u>	(notif\$6 or advertis\$6) same (node or host or computer) same new adj3 (page	0	<u>L43</u>

	or web page or content) same (trail or rout\$3 table)		
<u>L42</u>	request near4 register\$6 same (trail or rout\$3 table)	33	<u>L42</u>
<u>L41</u>	(notif\$6 or advertis\$6) same new adj3 (page or web page or content) with (recived or available or located)	14	<u>L41</u>
<u>L40</u>	(notif\$6 or advertis\$6) same new adj3 (page or web page or content) with (recived or available or located)	14	<u>L40</u>
<u>L39</u>	(transmit\$6 or send\$4 or launch\$4 or advertis\$6)same new adj3 (page or web page or content) with available	28	<u>L39</u>
<u>L38</u>	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request or message) same new adj3 (page or web page or content) with node	9	<u>L38</u>
<u>L37</u>	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request)same new adj3 (page or web page or content) with available	5	<u>L37</u>
<u>L36</u>	advertis\$6 same new near5 (content or page or web page)with available	8	<u>L36</u>
<u>L35</u>	(transmit\$6 or send\$4 or launch\$4) with (register\$3 or request)with (new or chang\$3)near5 (content or page or web page)with available	4	<u>L35</u>
<u>L34</u>	(transmit\$6 or send\$4 or launch\$4) with (register\$3 or request)with content with available	82	<u>L34</u>
<u>L33</u>	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request)same content with available	386	<u>L33</u>
<u>L32</u>	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request)same new content with available	0	<u>L32</u>
<u>L31</u>	advertis\$6 same new content with available	1	<u>L31</u>
<u>L30</u>	advertis\$6 with new content with available	0	<u>L30</u>
<u>L29</u>	(transmit\$6 or send\$4)with content with (request or register\$6)same advertis\$6 same available	4	<u>L29</u>
<u>L28</u>	(transmit\$6 or send\$4) same register\$6 with content same advertis\$6 same available	1	<u>L28</u>
<u>L27</u>	(transmit\$6 or send\$4) same register\$6 near3 message with content same advertis\$6 same available	0	<u>L27</u>
<u>L26</u>	(transmit\$6 or send\$4) with register\$6 near3 message with content same advertis\$6 same available	0	<u>L26</u>
<u>L25</u>	L23 and 121	0	<u>L25</u>
<u>L24</u>	L23 same l21	0	<u>L24</u>
<u>L23</u>	(transmit\$6 or send\$4) with register\$6 near3 message with content	97	<u>L23</u>
<u>L22</u>	advertis\$6 with content with available with node	0	<u>L22</u>
<u>L21</u>	advertis\$6 with content with available	137	<u>L21</u>
<u>L20</u>	advertis\$6 with content with available with (propogat\$4 or transmit\$6)	0	<u>L20</u>
<u>L19</u>	advertis\$6 with content same available same (propogat\$4 or transmit\$6)	40	<u>L19</u>
<u>L18</u>	content descriptor same (describ\$5 or identif\$6 or defin\$3) same multiple	1	<u>L18</u>
<u>L17</u>	content descriptor same (describ\$5 or identif\$6 or defin\$3) same multiple near5 cop\$4	0	<u>L17</u>
DB=	PGPB; PLUR=YES; OP=ADJ		
<u>L16</u>	content descriptor same (describ\$5 or identif\$6 or defin\$3) same multiple near5 cop\$4	0	<u>L16</u>

with content	* 11	<u>L15</u>
USPT; PLUR=YES; OP=ADJ		
content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribute with content	2	<u>L14</u>
content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribue with content	0	<u>L13</u>
rout\$4 same content descriptor	5	<u>L12</u>
L9 and 17	3	<u>L11</u>
L9 same 17	1	<u>L10</u>
identif\$6 with attribute with content	337	<u>L9</u>
L7 same payload	1	<u>L8</u>
content same content descriptor	149	<u>L7</u>
multiple near5 cop\$3 same content descriptor	0	<u>L6</u>
multiple near5 cop\$3 near5 content same content descriptor	0	<u>L5</u>
PGPB; PLUR=YES; OP=ADJ		
multiple near5 cop\$3 near5 content t same content descriptor	0	<u>L4</u>
mukltiple near5 cop\$3 same content same content descriptor	0	<u>L3</u>
20020087659	1	<u>L2</u>
USPT; PLUR=YES; OP=ADJ		
6542468.pn.	1	<u>L1</u>
	with content USPT; PLUR=YES; OP=ADJ content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribute with content content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribue with content rout\$4 same content descriptor L9 and l7 L9 same l7 identif\$6 with attribute with content L7 same payload content same content descriptor multiple near5 cop\$3 same content descriptor multiple near5 cop\$3 near5 content same content descriptor PGPB; PLUR=YES; OP=ADJ multiple near5 cop\$3 near5 content t same content descriptor mukltiple near5 cop\$3 same content descriptor mukltiple near5 cop\$3 same content same content descriptor 20020087659 USPT; PLUR=YES; OP=ADJ	with content USPT; PLUR=YES; OP=ADJ content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribute with content content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribue with content rout\$4 same content descriptor L9 and l7 L9 same l7 identif\$6 with attribute with content L7 same payload content same content descriptor multiple near5 cop\$3 same content descriptor multiple near5 cop\$3 near5 content same content descriptor multiple near5 cop\$3 near5 content t same content descriptor multiple near5 cop\$3 same content descriptor 0 pGPB; PLUR=YES; OP=ADJ multiple near5 cop\$3 same content descriptor 0 mukltiple near5 cop\$3 same content descriptor 0 mukltiple near5 cop\$3 same content descriptor 0 20020087659 USPT; PLUR=YES; OP=ADJ



DATE: Saturday, October 16, 2004

Hide?	<u>Set</u> Name	Query	<u>Hit</u> Count	
DB=USPT; $PLUR=YES$; $OP=ADJ$				
	L53	L52 and 133	3	
	L52	709/239.ccls.	394	
	L51	709/241.ccls.	148	
	L50	L49 and 147	6	
	L49	709/217.ccls.	1848	
	L48	L47 same (server or node or web server)	19	
	L47	new adj3 (page or web page or content) near5 available	170	
	L46	(notif\$6 or advertis\$6) with (node or host or computer) with new adj3 (page or web page or content)	19	
	L45	(notif\$6 or advertis\$6) with (node or host or computer) with new adj3 (page or web page or content)with (transmit\$6 or send\$6 or propagt\$6 or transfer\$6)	1	
	L44	(notif\$6 or advertis\$6) same (node or host or computer) same new adj3 (page or web page or content)	77	
	L42	request near4 register\$6 same (trail or rout\$3 table)	33	
	L41	(notif\$6 or advertis\$6) same new adj3 (page or web page or content) with (recived or available or located)	14	
	L40	(notif\$6 or advertis\$6) same new adj3 (page or web page or content) with (recived or available or located)	14	
	L39	(transmit\$6 or send\$4 or launch\$4 or advertis\$6)same new adj3 (page or web page or content) with available	28	
	L38	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request or message) same new adj3 (page or web page or content) with node	9	
	L37	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request)same new adj3 (page or web page or content) with available	5	
	L36	advertis\$6 same new near5 (content or page or web page)with available	8	
	L35	(transmit\$6 or send\$4 or launch\$4) with (register\$3 or request)with (new or chang\$3)near5 (content or page or web page)with available	4	
	L34	(transmit\$6 or send\$4 or launch\$4) with (register\$3 or request)with content with available	82	
	L33	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request)same content with available	386	
	L31	advertis\$6 same new content with available	1	
	L29	(transmit\$6 or send\$4)with content with (request or register\$6)same advertis\$6 same available	4	

	L28	(transmit\$6 or send\$4) same register\$6 with content same advertis\$6 same available	1
	L23	(transmit\$6 or send\$4) with register\$6 near3 message with content	97
	L21	advertis\$6 with content with available	137
	L20	advertis\$6 with content with available with (propogat\$4 or transmit\$6)	0
	L19	advertis\$6 with content same available same (propogat\$4 or transmit\$6)	40
	L18	content descriptor same (describ\$5 or identif\$6 or defin\$3) same multiple	1
	DB=B	PGPB; PLUR=YES; OP=ADJ	
	L15	content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribute with content	11
	DB=U	JSPT; PLUR=YES; OP=ADJ	
	L14	content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribute with content	2
	L12	rout\$4 same content descriptor	5
	L11	L9 and 17	3
	L10	L9 same 17	1
	L9	identif\$6 with attribute with content	337
	L8	L7 same payload	1
	L7	content same content descriptor	149
	L5	multiple near5 cop\$3 near5 content same content descriptor	0
	DB=B	PGPB; PLUR=YES; OP=ADJ	
	L2	20020087659	. 1
	DB=U	JSPT; PLUR=YES; OP=ADJ	
П	L1	6542468.pn.	1



DATE: Saturday, October 16, 2004

Hide?	Set Name	<u>e Query</u>	Hit Count
	DB = US	PT; PLUR=YES; OP=ADJ	
	L12	rout\$4 same content descriptor	5
	L11	L9 and 17	3
	L10	L9 same 17	1
	L9	identif\$6 with attribute with content	337.
	Ľ8	L7 same payload	1
	L7	content same content descriptor	149
	DB=PG	PB; PLUR=YES; OP=ADJ	
	L2	20020087659	1
	DB=US	PT; PLUR=YES; OP=ADJ	
	L1	6542468.pn.	1



DATE: Saturday, October 16, 2004

Hide?	<u>Set</u> Name	Query	<u>Hit</u> Count
	DB=PG	SPB; PLUR=YES; OP=ADJ	
	L15	content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribute with content	11
	DB=US	SPT; PLUR=YES; OP=ADJ	
	L14	content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribute with content	2
	L12	rout\$4 same content descriptor	5
	L11	L9 and 17	3
	L10	L9 same 17	1
	L9	identif\$6 with attribute with content	337
	L8	L7 same payload	1
	L 7	content same content descriptor	149
	DB=PG	GPB; PLUR=YES; OP=ADJ	
	L2	20020087659	, 1